

INFOTECH 22-09

Pédale d'accélérateur



Chers clients,

Afin d'être conforme à la fiche d'homologation de votre C3Rally2 (extension 01/01 VR5, §C9-1, photo C2), toute pédale d'accélérateur (1G1163990A) installée dans la voiture doit présenter les découpes suivantes :

- Découpe de la partie supérieure (suivant la ligne blanche). Ne pas couper le connecteur,



- Découpe du pion de mise en place en partie basse



L'équipe d'assistance technique

INFOTECH22-09

Throttle pedal



Dear customers,

To be compliant with the homologation form of your C3Rally2 (extension 01/01 VR5, §C9-1, picture C2), each throttle pedal (1G1163990A) fitted in the car must be cutted as follow:

- trim of the upper part of the pedal (following the white line). Do not cut the connector,



- Cut of the locating pin in the lower part,



The technical support team

CONTACTS

Damien ARBONNIER

Technical advisor

@ damien.arbonnier@stellantis.com
: +33 6 74 56 77 86

Cyril DUPUY

Technical advisor

@ cyril.dupuy@stellantis.com
: +33 6 76 86 71 50

Yann CHALMETON

Technical support manager

@ yann.chalmeton@stellantis.com
: +33 6 31 83 00 89

Technical Support

@ techsupport.racingshop@stellantis.com
+33 1 30 11 26 77